

Stalprodukt

Zamość Sp. z o.o.

ul. Kilińskiego 86, 22-400 Zamość
tel. 084 639-34-41, fax 084 639-24-42
NIP 922-21-91-790, REGON 950329300

DECLARATION OF PERFORMANCE DZW/72/4S/41/01/2025-REF

1. Unique identification code of the product-type: *SYSTEM 72*
(4 side rebate, without glazing, steel frame with aluminium threshold, filled with polystyrene, inward opening)
2. Intended use (s): *Exterior entrance doors intended for use in residential buildings (no fire resistance and/or smoke tightness properties)*
3. Manufacturer: *Stalprodukt-Zamość Sp. z o.o. ul. Kilińskiego 86 22-400 Zamość*
4. System(s) for assessment and verification of constancy of performance (AVCP): *System 3*
5. Harmonized standard: *EN 14351-1:2006+A2:2016*
Notified body or bodies;
 - *Instytut Techniki Budowlanej - Notification No. NB 1488*
 - *Mobilne Laboratorium Techniki Budowlanej Sp. z o.o. - Notification No. NB 2189*
6. Declared performance

ESSENTIAL CHARACTERISTICS		PERFORMANCE	HARMONISED TECHNICAL SPECIFICATIONS
Resistance to wind load		<i>Class C2</i>	<i>EN 14351 -1:2006 + A2:2016</i>
Water-tightness	<i>Opening outwards</i>	-	
	<i>Opening inwards</i>	<i>Class 2B</i>	
Hazardous substances		<i>NPD</i>	
Impact resistance		<i>NPD</i>	
Load capacity of the safety devices		<i>NPD</i>	
Height		<i>2005MM</i>	
Acoustic properties		<i>NPD</i>	
Thermal permeability for reference dimensions		<i>$U_D = 0,99 \text{ W}/(\text{m}^2 \cdot \text{K})$</i>	
Radiation related properties		<i>NPD</i>	
Air permeability		<i>Class 3</i>	

The performance of the product identified above is in conformity with the set of declared performance/s.
This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed on behalf of the manufacturer:

Piotr Antosiak
Zamość dnia 2025.04.23

Stalprodukt
Zamość Sp. z o.o.
Samodzielny Inspektor
ds. Kontroli Jakości
mgr inż. Piotr Antosiak